

The 15-Minute DIY Home Vastu Inspection Blueprint

Practical Room-by-Room Floorplan Audit & Non-Destructive Energy Fixes

A consultant-style DIY audit method - simplified for modern Indian apartments. No breaking walls. No demolition. No fear-based Vastu.

HOW TO USE THIS BLUEPRINT IN 15 MINUTES — before signing a flat lease or buying property

- MIN 0–3** Stand at the main door with your smartphone compass open; note the exact facing degree.
- MIN 3–6** Mark the Brahmasthan (geometric centre) using the 3-step method on Page 3.
- MIN 6–10** Walk the 5 critical zones — Entrance, Kitchen, Bedroom, Toilets, Pooja — with the checklists on Pages 4–12.
- MIN 10–13** Score your flat on the 20-Point Self-Audit Scorecard (Pages 13–14).
- MIN 13–15** Open the Emergency Remedy Cheatsheet (Page 15) and shortlist your fixes.



Room-by-Room · Degree-Accurate · Renter-Safe

THE 3 GOLDEN RULES OF MODERN NON-DESTRUCTIVE VASTU

RULE 1

MEASURE, DON'T ASSUME

Direction is a degree on your phone compass, not a guess. Every verdict in this blueprint is anchored to exact degrees (0°–360°).

RULE 2

NEUTRALIZE, NEVER DEMOLISH

Every remedy is reversible, renter-safe and under ₹500. Broken walls fix nothing; balanced elements fix everything.


RULE 3

ENERGY FOLLOWS FUNCTION

Match room activity to the zone framework: fire functions in Fire zones, rest in Earth zones, water in Water zones. Use this as the core audit lens throughout the blueprint.

The 16-Zone Master Vastu Chakra (Energy Wheel)

Your home is an energy wheel of 16 zones, each 22.5° wide. Read it like a clock — every degree has a job.



ZONE	DEG	GOVERNS	ELEMENT
N	0°/360°	Kuber — opportunities & cash inflow	Water
NNE	22.5°	Health & immunity	Water
NE · Ishanya	45°	Mental clarity, spirituality	Water
ENE	67.5°	Fun, joy & recreation	Air
E	90°	Social connections, networking	Air·Wood
ESE	112.5°	Churning, overthinking	Air
SE · Agni Kon	135°	Cash flow, zeal — home's fire	Fire
SSE	157.5°	Confidence, physical strength	Fire

ZONE	DEG	GOVERNS	ELEMENT
S	180°	Fame, brand value, relaxation	Earth
SSW	202.5°	Disposal, expenditure	Earth
SW · Nairutya	225°	Stability, relationships, character	Earth
WSW	247.5°	Knowledge, savings	Earth
W	270°	Gains, profits	Space·Metal
WNW	292.5°	Emotional detox, let-go zone	Space
NW · Vayavya	315°	Support, banking, movement	Air
NNW	337.5°	Attraction, intimacy & harmony	Water

How to read: stand at the Brahmasthan, point your compass at any room, match its degree to a zone — the zone tells you what that room SHOULD be doing.

ROOM SPANS TWO ZONES? Use the room's geometric centre for room-level zone assignment. For micro-placement checks (stove, bed, toilet/commode), measure the actual object from the Brahmasthan.

Finding the Exact Centre (Brahmasthan) Using Only a Smartphone

The Brahmasthan is the geometric heart of your home — the single point where all 16 zone energies converge. Get this one point right and half your audit is already done.

01 CALIBRATE

60 SEC

Open the built-in Compass app (iPhone) or Google Compass / Compass Steel (Android). Move the phone in a figure-8 motion twice until accuracy reads $\pm 2^\circ$. Keep away from fans, TVs, geyser pipes and metal window frames — they distort readings by up to 15° .

02 FIX YOUR REFERENCE

60 SEC

Stand at the geometric centre of the flat (see below). Hold the phone flat at chest height, screen up, wait 10 seconds for the needle to settle. Note the exact degree your **MAIN ENTRANCE** faces from this centre. Write it down — this one number unlocks every zone in this blueprint.

03 CROSS-CHECK

60 SEC

Return to the SAME marked centre. Recalibrate, then repeat the entrance bearing 3 times from that same spot. If readings vary by more than 5 degrees, move away from nearby metal and retry. Use the middle (median) of 3 stable readings within about ± 2 degrees.

LOCATING THE PHYSICAL CENTRE



Square / Rectangular flat

Sketch the outline on paper and draw both diagonals — where they cross X marks the Brahmasthan.



L-shaped / T-shaped flat

Split the plan into rectangles. Find each rectangle's centre. The Brahmasthan sits inside the **LARGEST** rectangle's centre, shifted toward the missing cut — **NEVER** inside the cut-out portion.



Centre falls in a toilet or wall?

Treat the nearest open point as the effective centre, and prioritise the Toilet Neutralization Protocol on Pages 10–11.

NON-NEGOTIABLE BRAHMASTHAN RULES

- ☐ Keep it clutter-free, lightweight and **OPEN** — no wardrobes, no heavy storage, no pillar load
- ☐ No toilet, no kitchen fire, no overhead beam sitting directly on the centre
- ☐ Ideal treatment: open living space, a light rug, or a small brass/silver circle inlay
- ☐ **Remember:** a blocked Brahmasthan suppresses **ALL 16 zones at once** — fix it before any other remedy

Classical texts call it the navel of the dwelling: when the centre is light, prana circulates to all sixteen zones; when it is blocked, no remedy elsewhere works at full strength.

The Main Door: Your Home's Mouth of Energy

The outer boundary of every home divides into **32 padas** — segments of exactly **11.25°** each. Your main door sits in ONE pada, and that pada decides what enters your life with every visit. Counting: 8 padas per wall (E1–E8 ... N1–N8); on the North wall, counting starts at the Ishanya corner and moves west — so **N3 & N4 hug True North, Kuber's belt**.

THE FOUR GOLDEN DOORS

N3

MUKHYA

11.25°–22.5°

The Main Gate of Prosperity. Steady income, family harmony and career progression — the best all-round door for salaried families.

N4

BHALLAT

0°–11.25°

Kuber's Own Pada — maximum wealth magnetism; money finds multiple inflow channels. Ideal for business owners and investors.

E3

JAYANTA

67.5°–78.75°

The Victorious Door. Fame and name in your community, victory over competition. Ideal for professionals and creators.

E4

INDRA

78.75°–90°

The King of Doors. Authority, leadership and premium social standing. Ideal for senior professionals and business heads.

FIND YOUR DOOR'S PADA IN 30 SECONDS

1.

Stand at the Brahmasthan (Page 3).

2.

Point the phone's top edge at the CENTRE of your main door leaf.

3.

Read the bearing.

4.

Match it to the 32-pada table on Page 5.

Example:

bearing 7° = N4 = Bhallat = Golden Door.

THE DANGEROUS DOORS — AVOID / NEGOTIATE

S3

VITATHA

157.5°–168.75°

Unexpected debt, blocked payments, borrowed-money loops.

S4

GRIHAKSHATA

168.75°–180°

Litigation, disputes, active enemies.

W3

SUGRIVA

247.5°–258.75°

Theft, betrayal from a close circle, hidden enemies.

W4

PUSHPADANTA

258.75°–270°

Slowly draining profits, stolen opportunities.

MAJOR RED-FLAG PADAS - S5 Yama (180-191.25 degrees) and W8 Roga (303.75-315 degrees). In this framework, do not assume a small remedy fully neutralises these placements. Assess the full scorecard and your normal property due diligence before deciding.

The Complete 32-Pada Entrance Table + Non-Destructive Door Remedies

EAST WALL (45° → 135°)

PADA	DEG BAND	EFFECT	VERDICT
E1 Isha	45–56.25°	Disturbs Ishanya	● Avoid
E2 Parjanya	56.25–67.5°	Mood swings, instability	● Caution
E3 Jayanta	67.5–78.75°	GOLDEN — fame & victory	● Golden
E4 Indra	78.75–90°	GOLDEN — wealth, authority	● Golden
E5 Surya	90–101.25°	Fame, with ego-heat	● Good
E6 Satya	101.25–112.5°	Integrity, legal wins	○ Acceptable
E7 Bhrisha	112.5–123.75°	Quarrels, aggression	● Avoid
E8 Antariksha	123.75–135°	Wasteful expenses	● Avoid

SOUTH WALL (135° → 225°)

PADA	DEG BAND	EFFECT	VERDICT
S1 Agni	135–146.25°	Fire accidents, arguments	● Avoid
S2 Pusha	146.25–157.5°	Vitality drain	● Avoid
S3 Vitatha	157.5–168.75°	Unexpected debt	● Avoid
S4 Grihakshata	168.75–180°	Litigation & enemies	● Avoid
S5 Yama	180–191.25°	MAJOR RED FLAG - do not rely on remedies alone	● Never
S6 Gandharva	191.25–202.5°	Restless instability	● Avoid
S7 Bhringara	202.5–213.75°	Expenses & churning	● Avoid
S8 Mriga	213.75–225°	Scattered, stray expenses	● Avoid

WEST WALL (225° → 315°)

PADA	DEG BAND	EFFECT	VERDICT
W1 Pitru	225–236.25°	Stagnation, karmic drag	● Avoid
W2 Dauvarika	236.25–247.5°	Employee, staff troubles	● Caution
W3 Sugriva	247.5–258.75°	Theft & betrayal	● Avoid
W4 Pushpadanta	258.75–270°	Draining profits	● Avoid
W5 Varuna	270–281.25°	Fluctuating gains	● Caution
W6 Asura	281.25–292.5°	Negativity, low energy	● Avoid
W7 Shosha	292.5–303.75°	Drying wealth	● Avoid
W8 Roga	303.75–315°	MAJOR RED FLAG - do not rely on remedies alone	● Never

NORTH WALL (ISHANYA CORNER → NW)

PADA	DEG BAND	EFFECT	VERDICT
N1 Ishanya Joint	33.75–45°	Disturbs sacred NE field	● Avoid
N2 NE Guard	45–56.25°	Weak prosperity	● Caution
N3 Mukhya	56.25–67.5°	GOLDEN — income, harmony	● Golden
N4 Bhallat	67.5–78.75°	GOLDEN — max. abundance	● Golden
N5 Kuber Belt II	78.75–90°	Steady inflow	● Good
N6 NNW Attraction	90–101.25°	Mixed but workable	● Caution
N7 Vayu Edge	101.25–112.5°	Restless energy	● Caution
N8 NW Support	112.5–123.75°	Networking, guest flow	○ Acceptable

100% NON-DESTRUCTIVE DOOR REMEDIES

01 REMEDY 1 THE 3-INCH BRASS STRIP

In Vastu practice, a threshold strip is used as a symbolic boundary marker. Fix a 3-inch brass strip across the full threshold, under the door leaf, with removable adhesive/epoxy where suitable - no grooving. Best for Caution/Avoid padas in South & West.

02 REMEDY 2 ELEMENTAL THRESHOLD TAPE

Run a 1-inch waterproof colour band on the threshold's OUTER edge: **RED** for SE-facing doors (feeds Agni), **BLUE** for North-facing (feeds Kuber's water), **YELLOW** for SW-facing (grounds earth). One continuous band; reapply when worn.

03 REMEDY 3 MIRROR & LIGHT DISCIPLINE

Traditional Vastu avoids a mirror directly facing the main door. For Caution/Avoid padas: keep the entry bright, use a clean nameplate and optional plants; if you use a convex mirror, keep it on the OUTER frame. Never padas remain major selection red flags - these measures are not guarantees.



The Kitchen: Fire, Function & Placement

🌿 IDEAL & SECOND CHOICE

IDEAL: SOUTH-EAST (SE · Agni Kon) — the fire zone of every home. Cook facing **EAST** so sunrise light feeds Agni; the cook faces the rising sun.

SECOND CHOICE: NORTH-WEST (NW · Vayavya) — air fans fire; acceptable for compact apartment kitchens.

- **AVOID COMPLETELY: North-East (NE) and North (N) kitchens** — water zones; fire placed here burns health and cash flow (downgrade protocol on Page 7).

A COMMON MODERN APARTMENT FLAG: FIRE-WATER CLASH

A gas stove placed directly next to - or directly opposite - the water sink is treated in traditional Vastu as a fire-water clash. Treat this as a layout principle, not a medical or financial diagnosis. Where practical, keep 2-3 ft between fire and water points or add the simple divider shown on Page 7.

🔧 30-SECOND KITCHEN DIAGNOSTIC

- ☐ Stove and sink within 2 ft on the same counter → **RED FLAG**
- ☐ Stove directly facing the sink across the aisle → **RED FLAG**
- ☐ Fridge touching the stove unit → **heating conflict**
- ☐ Cook faces SOUTH while cooking → **drains vitality**

🔧 **THE FIX RULE:** keep a minimum 2–3 ft gap between any fire point and any water point — or insert the wood/plant barrier from the Page 7 remedy kit.

Kitchen Micro-Placement Map & *Non-Destructive* Remedies

 WHERE EVERYTHING GOES INSIDE THE KITCHEN

ITEM	PLACEMENT	WHY IT WORKS
● Gas stove	SE counter — cook faces E	Agni sits in the Agni zone
● Sink / tap	NE part of the counter, 2–3 ft from stove	Water kept off the fire axis
● Water filter / RO	NE or N wall	Water in the water belt
● Fridge	S or W wall — never touching stove	Heavy cooling mass in earth/space belt
● Grain & utensil storage	SW	Heavy storage stabilises the kitchen
● Exhaust / chimney	East wall	Pollutants exit with the morning air
● Windows	E / NE	Sunrise prana enters the food
● Microwave / oven	SE	Fire with fire
● Mixer / grinder	NW or SE corner	Acceptable machine zone

REMEDY 1 GREEN BARODA MARBLE SLAB ₹150–300

Place a green Baroda marble slab sized to the stove base **UNDER the gas stove**. Green stone grounds and cools the fire radiation — the classical fix accepted across Vastu schools. Zero

Place a green Baroda marble slab sized to the stove base UNDER the gas stove. In traditional Vastu this is used as a symbolic balancing cue for the fire element. It requires no structural change and simply sits on the counter.

REMEDY 2 WOOD DIVIDER / PLANT BARRIER

If stove and sink sit within 2 ft, insert a wooden divider (cutting-board style) OR a healthy broad-leaf

If stove and sink sit within 2 ft, insert a wooden divider (cutting-board style) OR a healthy broad-leaf plant between them - never a thorny one. The goal is a clear physical and visual separation between the fire and water points. Re-assess the layout after the change.

REMEDY 3 YELLOW PAINT / BRASS BOWL FOR SW KITCHENS

For an SW kitchen, use a butter-yellow or cream-yellow accent as a traditional earth-balance cue. A small brass bowl with a little rock salt may be used as an optional ritual reminder; keep it clean and refresh it regularly.

! IF THE KITCHEN IS IN NORTH / NORTH-EAST — THE 5-STEP DOWNGRADE PROTOCOL FORBIDDEN ZONES

- 1

Shift the stove to the SE-most end of the counter — even 2 feet toward SE helps.
- 2

Place the green Baroda marble slab under the stove.
- 3

Keep the NE corner visually light — window, tulsi image or white paint; no heavy storage.
- 4

Keep a rock-salt glass bowl near the sink; replace fortnightly.
- 5

Cook facing East wherever the hob allows.

The Master Bedroom: *Stability Engine* of the Home

🏠 WHY SOUTH-WEST (SW · NAIRUTYA) MUST BE THE MASTER

Earth is the heaviest, most grounding element — and SW is where heavy things must sit. When the head of the household sleeps in SW: **decisions stabilise, relationships deepen, savings hold**. When SW is left to guests, storerooms or sits empty while the couple sleeps in SE/NW, the classic signatures appear: **restlessness, frequent disputes and unstable finances**.

TRADITIONAL VASTU SLEEP-DIRECTION GUIDE

DIRECTION	RATING	VERDICT	EFFECT
Head to SOUTH	★★★★★	IDEAL	Traditionally preferred for grounded, restful sleep. Use comfort, ventilation and your actual sleep quality as the practical check.
Head to EAST	★★★★	GREAT	Traditionally associated with alertness, study and morning routine. A strong second choice when South is not practical.
Head to WEST	★★	TOLERABLE	Neutral / workable when South or East is not practical.
Head to NORTH	✗	AVOID	Traditionally avoided in Vastu. If your bed currently points North, rotate it only if practical and compare your comfort over time - do not treat direction as a medical diagnosis.



THE HEAVY-WALL PRINCIPLE — bed headboard against a **SOUTH or WEST wall**: body supported by solid mass, North & East kept light and open for energy flow.



🏠 Warm SW bedroom · headboard on a heavy wall

Bedroom Micro-Rules: *Weight, Reflection & Rest*

WARDROBE & HEAVY LOCKER PLACEMENT

Traditional Vastu places wardrobes and lofts on the SOUTH or WEST walls so the NE side stays lighter and more open. For valuables, the framework prefers a locker on the SOUTH/WEST side opening toward NORTH. Keep the NE corner visually light - a lamp or small plant rather than heavy furniture.

THE MIRROR-FACING-BED SLEEP CHECK

Traditional Vastu discourages a mirror reflecting the sleeping body. Independently, reflections and light can bother some sleepers. THE TEST: if you can clearly see yourself from bed, try covering the mirror at night, using frosted film, angling it away, or closing the wardrobe door. A glossy TV screen may also reflect light - cover it only if it actually disturbs you.

DO ✓

- ☐ Earthy palette: beige, peach, chocolate, warm pastels
- ☐ Couple / family frame on the SW wall
- ☐ Soft warm lighting — no harsh white tube light
- ☐ Attached toilet door closed + lid down
- ☐ Rock-salt bowl if there is an attached bath

DON'T ✕

- ☐ Red-dominant walls — aggression in the bedroom
- ☐ Black / grey heavy themes — emotional heaviness
- ☐ Water features or aquariums in the bedroom
- ☐ Pooja idols inside the bedroom
- ☐ Mirror opposite the bedroom door

i Attached bathroom? It sits inside your sleep field — apply the full **Toilet Neutralization Protocol from Pages 10–11** to it.

Toilets: Containing the Home's Only *Legitimate Negative Zone*

A toilet is a disposal machine. Its placement decides whether waste **LEAVES** the home — or **LEAKS INTO** it.

⊘ THE WORST PLACEMENTS

NE · ISHANYA TOILET 22.5°–67.5° BELT

In traditional Vastu, an NE toilet is treated as a major red flag because the NE is reserved for light, clarity and spiritual use. Treat this as a traditional home-layout framework, not a medical prediction. If the flat otherwise works for you, use the Page-11 protocol and include this factor in your overall score.

SW · NAIRUTYA TOILET 202.5°–247.5° BELT

In traditional Vastu, an SW toilet is treated as a major stability-zone conflict. Neutralise it before moving in where practical, and use the full scorecard rather than assuming a guaranteed financial or relationship outcome.

ALSO SEVERE

Toilet directly ABOVE or BELOW the pooja room or kitchen · toilet sharing a common wall with the pooja space.

Main drain outlet and floor slopes toward N / NW / W or SSW = preferred in this framework. A main drain in the NE is treated as a red flag; if you cannot change plumbing, use the Page-11 boundary protocol as a symbolic remedy and keep drainage physically clean and functional.

💧 DRAINAGE RULES

Main drain outlet and floor slopes toward **N / NW / W or SSW** = clean exit. A main drain in the NE is a slow wealth leak — apply the **copper-tape protocol (Page 11)** at the outlet point.

🌿 THE SAFE ZONES

● SSW 202.5° BELT

The Disposal Zone — literally built for waste exit.

● WNW 292.5° BELT

The Detox Zone — releases emotional and physical waste.

● ESE 112.5° BELT

The Churn Zone — absorbs and processes negativity.

● ACCEPTABLE

N, NW and W toilets — run the Page 11 protocol and they are workable.

👉 FLAT-HUNTER'S LEVERAGE

An NE or SW toilet is your strongest negotiation lever: secure a **price cut**, a **rent discount** — or walk away. Never skip this check before signing.

The Toilet Neutralization Protocol: *5 Steps, Zero Breakage*

Run this on every toilet in a non-ideal zone (N, NW, W, E) — and on **ALL toilets** if the flat carries an NE or SW toilet. Every step is reversible and renter-safe.

1

METAL TAPE PERIMETER

THE CORE FIX

₹150–300

Paste a closed loop of 3-inch wide COPPER, BRASS or ALUMINIUM foil tape on the FLOOR around the toilet commode perimeter, 4-6 inches from the base. In Vastu practice, the metal loop is used as a symbolic boundary marker for the zone. Use renter-safe adhesive where possible so it can be removed cleanly.

2

ROCK SALT BOWL

₹49–99

Place natural sea salt / rock salt in a GLASS bowl (never metal) inside the toilet as a traditional reset cue. Keep it dry and out of reach of children/pets. Replace every 15 days; do not treat it as an air purifier or health remedy.

3

CAMPBOR DIFFUSER

₹199–349

If you use an electric camphor (kapoor) diffuser, run it briefly in a ventilated area and follow the product instructions. In this blueprint it is an optional traditional fragrance/ritual step, not a medical or air-purification treatment.

4

BEHAVIOURAL SEAL

FREE

Door closed at ALL times · lid down before flushing · exhaust fan 10 minutes after use · lidded bins. An open toilet door is an open valve on the home's energy field.

5

THRESHOLD UPGRADE

₹49–99

Blue or grey tape band across the toilet threshold can be used as a visual boundary cue. For NE/SW toilets, a small convex mirror on the OUTER frame is an optional traditional measure. Re-tape when worn; do not treat these steps as guaranteed neutralisation.

 **PRIORITY RULE** — NE or SW toilet? Run **all 5 steps from day one** and re-audit after 45 days. Renters: every step moves out with you — **remedies are portable, panic is not.**



Ghee diya · the daily charge of the Ishanya corner

ZONE 5 · POOJA ROOM & SPIRITUAL ENERGY

The Pooja Space: Charging the Home's *Spiritual Battery*

1st NORTH-EAST

ISHANYA

The God-corner — maximum spiritual charge.

2nd EAST

Sunrise energy feeds the daily ritual.

3rd NORTH

Calm, clear, money-safe alternative.

AVOID

Inside a bedroom (if unavoidable: NE-corner mandir with a curtain) · South walls · under a staircase.

! SACRED RULES — NON-NEGOTIABLE

- ☐ **NEVER** above or below a toilet
- ☐ **NEVER** sharing a common wall with a bathroom
- ☐ No toilet door **directly facing the idols**
- ☐ No broken or chipped idols — **repair or respectfully immerse**
- ☐ Keep it **LIGHT**: wood/white shelves, no heavy marble lofts — NE must stay weightless
- ☐ **Decluttered**: 3–5 idols max

☀ IDOL ORIENTATION & SACRED LIGHTING

- ◆ Place idols on a shelf against the **WEST or EAST wall** so that you **FACE EAST** (or West, per family tradition) while praying — idols **never face South**.
- ◆ Idol height: **chest level or above**, never on the floor.
- ◆ Light a **ghee diya** in the SE corner of the mandir — or a brass diya centred in NE — at sunrise and sunset.
- ◆ Diffuse **camphor** in the evening.
- ◆ Hang the **bell on the left** as you enter.



MODERN APARTMENT ADAPTATIONS

(a) Wall-mounted slim mandir in the NE corner of the living room · (b) NE balcony-corner mandir with a curtain · (c) A dedicated NE shelf with a small Ganesha + diya when a full room is impossible. **What matters is the ZONE, the LIGHT and the CLEANLINESS — not the size.**

The 20-Point Self-Audit Scorecard

i Walk the flat with this sheet. **Tick ONE box per check — Safe / Minor Dosh / Critical** — add the points and total on Page 14. **Maximum score: 100.** TIER M = Major check (10 / 5 / 0) · TIER S = Standard check (4 / 2 / 0).

TIER M · MAJOR CHECKS		(10 / 5 / 0)
1	MAIN ENTRANCE PADA	
	☐ Safe +10: door sits in N3/N4/E3/E4 (or N5/E5/E6)	
	☐ Minor Dosh +5: Caution-pada door, remedied or workable	
	☐ Critical +0: door in S3/S4/W3/W4, S5, W8, or unremedied negative pada	
2	KITCHEN PLACEMENT	
	☐ Safe +10: SE kitchen, East-facing stove	
	☐ Minor Dosh +5: NW kitchen, or SE kitchen with fixable fire–water adjacency	
	☐ Critical +0: kitchen in NE or N, or unfixable stove–sink clash	
3	MASTER BEDROOM	
	☐ Safe +10: SW master, head to South/East	
	☐ Minor Dosh +5: master in S/W but head to North, or minor mirror dosh	
	☐ Critical +0: master in SE/NE, or uncorrected mirror facing the bed	
4	TOILET LOCATION	
	☐ Safe +10: toilets only in SSW / WNW / ESE	
	☐ Minor Dosh +5: one toilet in N/NW/W/E, neutralized	
	☐ Critical +0: toilet in NE or SW, or above/below pooja–kitchen	
5	BRAHMASTHAN OPENNESS	
	☐ Safe +10: centre open, light, clutter-free	
	☐ Minor Dosh +5: light furniture or soft clutter at centre	
	☐ Critical +0: centre blocked by wall column, toilet, kitchen or heavy storage	

TIER S · STANDARD CHECKS		(4 / 2 / 0)
6	BALCONY / OPEN SPACE	
	☐ +4: N/E/NE open, light & unobstructed	
	☐ +2: mixed openings	
	☐ 0: NE built-up/blocked, or N/E balconies stuffed with heavy storage	
7	POOJA SPACE	
	☐ +4: NE/E/N with wall rules respected	
	☐ +2: other zone but clean, elevated & lit	
	☐ 0: above/below toilet or sharing a bathroom wall	
8	STOVE–SINK SEPARATION	
	☐ +4: ≥3 ft gap or divider in place	
	☐ +2: 1–3 ft without barrier	
	☐ 0: directly adjacent or opposite, no barrier	
9	SLEEP DIRECTION (primary sleeper)	
	☐ +4: head South	
	☐ +2: head East or West (East preferred)	
	☐ 0: head North	
10	MIRROR DISCIPLINE	
	☐ +4: no mirror faces bed or main door	
	☐ +2: mirrors offset/covered at night	
	☐ 0: mirror directly facing bed/door, uncovered	

Finish the Audit — *Then Read Your Grade*

TIER S · STANDARD CHECKS (4 / 2 / 0)		TIER Q · QUICK CHECKS (2 / 1 / 0)	
11	HEAVY STORAGE DISCIPLINE ☐ +4: wardrobes/lofts on S & W walls ☐ +2: mixed placement ☐ 0: heavy storage in NE or on the Brahmasthan	16	ENTRY BRIGHTNESS & NAMEPLATE ☐ +2: lit, clean, nameplate up ☐ +1: dim but clean ☐ 0: dark, cluttered, squeaky door
12	DRAINAGE & WATER EXIT ☐ +4: drains/slopes to N/NW/W/SSW ☐ +2: mixed ☐ 0: main drain in NE or waterlogging at centre	17	UNDER-BED & BEHIND-DOOR CLUTTER ☐ +2: clear ☐ +1: moderate ☐ 0: heavy junk stored
13	COOKING DIRECTION ☐ +4: cook faces East ☐ +2: faces North/West ☐ 0: faces South	18	ELECTRONICS LOAD IN NE ☐ +2: NE light & clean ☐ +1: one small device ☐ 0: TV/fridge/heavy stack in NE
14	CASH & LOCKER POSITION ☐ +4: locker on S/W wall opening toward N ☐ +2: acceptable placement ☐ 0: cash corner against a toilet wall, or locker facing South	19	DUSTBIN & SHOE RACK ☐ +2: in S/SW/W or outside ☐ +1: neutral ☐ 0: dustbin in NE/centre
15	PLANTS & GREENERY ☐ +4: Tulsi in E/NE, healthy plants in N/E ☐ +2: a few plants anywhere ☐ 0: dry/dead plants or thorny cacti in N/E/NE	20	WINDOWS & DAYLIGHT ☐ +2: E/N windows opened daily, good light ☐ +1: average ☐ 0: permanently dark N/E

 MY TOTAL: / 100

★ FINAL SCORING SYSTEM

85–100 · GRADE A

LOW-FRICTION VASTU SCORE

Favourable Vastu score. Continue normal legal, structural and financial due diligence before signing. Re-audit quarterly if you make major layout changes.

65–84 · GRADE B

AVERAGE

Pick 2 fixes from the Page-15 toolkit this week and re-score after 30 days. Focus on the highest-point deductions first rather than changing many things at once.

BELOW 65 · GRADE C

HIGH FRICTION · FULL KIT

Implement the relevant non-destructive fixes and re-audit after 45 days. Buying? Use this score as ONE negotiation input alongside legal, structural and financial checks. Renting? Remedy the fixable items first or shortlist another flat if the red flags matter to you.

The Under-Rs500-Per-Fix Remedy Toolkit: 5 Tools - Zero Breakage

Most items are available online or locally, renter-safe and reversible. Buy only the fixes your audit actually calls for; you do NOT need all five tools.

1

₹99–150

RAW HIMALAYAN ROCK SALT BOWLS

Traditional Vastu reset tool. Use a dry rock-salt bowl in the locations your audit flags. Replace regularly; keep away from children/pets. It is a symbolic remedy, not an air purifier.

2

₹149–200

5-ELEMENT COLOURED ADHESIVE TAPES

Red, Blue, Green, Yellow, White.
Elemental rebalancing for door thresholds, stove—sink dividers and toilet frames. The duct tape of Vastu — fast, invisible, reversible.

3

₹200–350

COPPER / BRASS ENERGY-BLOCKING STRIPS

3-inch metal strips can mark toilet perimeters, thresholds or beam lines. In Vastu practice they act as symbolic boundary cues; choose removable installation where possible.

4

₹150–400

CONVEX MIRRORS & BRASS SWASTIK PYRAMIDS

Convex mirrors and brass symbols are optional traditional cues for entries and beams. Use them only where they are safe, secure and visually appropriate.

5

₹100–300

AIR-PURIFYING PLANTS

TULSI in East, SNAKE PLANT in South, or MONEY PLANT in North are traditional placement suggestions. Choose healthy, low-maintenance plants that suit the available light; remove dead plants.


TOOL	PLACE IT AT	TRADITIONAL / PRACTICAL USE
Salt bowls	Toilets · NE · main door	Symbolic reset / freshness routine
Element tapes	Thresholds & frames	Visual element-balancing cue
Metal strips	Toilet loop · threshold · beams	Symbolic boundary marker
Mirrors & pyramids	Beams & door frames	Entry / beam visual cue
Plants	E · S · N belts	Greenery / decluttering cue

IMPORTANT: This blueprint presents traditional Vastu principles as a practical home-audit framework. It is not medical, legal, financial, structural or engineering advice, and it does not guarantee health, wealth or relationship outcomes. Use it alongside normal property due diligence.

Measure first. Fix gently. Re-audit after meaningful layout changes. - VASTU LIVING ACADEMY

Worked Example: Audit a 2BHK in 15 Minutes

A complete sample walkthrough using the same rules and 100-point scorecard in this blueprint.



HOW THE SAMPLE SCORES

Entrance 18 deg = N3	+10
Kitchen NW, stove East	+5
Master SW, head South	+10
Toilet West, neutralised	+5
Brahmasthan open	+10
Major-check subtotal	40/50
Standard checks (sample)	28/40
Quick checks (sample)	9/10

77 / 100

GRADE B - FIXABLE

NEXT 3 ACTIONS

1) Separate stove/sink with a divider. 2) Move mixed heavy storage toward South/West. 3) Re-score after 30 days. This example is illustrative - use your actual measurements.